

Part number

# CKA 03 VS



Hood, CKA series, with 2 pegs, Pg11 top cable entry, size "21.21"

| Product description                    |                                       | Material properties       |                       |
|----------------------------------------|---------------------------------------|---------------------------|-----------------------|
| Product type                           | Hood                                  | Main material             | Zinc die-cast         |
| Series                                 | CKA                                   | Colour                    | RAL 7040 grey         |
| Closing type                           | With 2 pegs                           | RoHs conformity           | Compliant             |
| Size                                   | Size "21.21"                          | China RoHs - EFUP         | E                     |
| Cable entry                            | Top cable entry<br>Pg11               | REACH SVHC substances     | No                    |
| Technical data                         |                                       | Approvals / Standards     |                       |
| IP degree of protection                | IP44 - IP66 / IP67 / IP69 with CKR 65 | UL                        | ECBT2                 |
| Further technical details              |                                       | cUL                       | ECBT8                 |
| General ordering information           |                                       | Packaging Information     |                       |
| Weight                                 | 70,00 g                               | EAN13 code                | 8015747027137         |
| Operating temperature range (min, max) | -40°C...+125°C                        | Packaging length          | 330,00 mm             |
|                                        |                                       | Packaging height          | 230,00 mm             |
|                                        |                                       | Packaging width           | 205,00 mm             |
|                                        |                                       | Packaging weight          | 7,10 kg               |
|                                        |                                       | Packaging volume          | 15,56 dm <sup>3</sup> |
|                                        |                                       | Packaging description     | Carton box            |
|                                        |                                       | Packaging quantity        | 100 Pcs               |
|                                        |                                       | Packaging EAN code        | 8015747027144         |
|                                        |                                       | Sub-packaging length      | 185,00 mm             |
|                                        |                                       | Sub-packaging height      | 40,00 mm              |
|                                        |                                       | Sub-packaging width       | 155,00 mm             |
|                                        |                                       | Sub-packaging weight      | 0,71 kg               |
|                                        |                                       | Sub-packaging volume      | 1,15 dm <sup>3</sup>  |
|                                        |                                       | Sub-packaging description | Carton box            |
|                                        |                                       | Sub-packaging quantity    | 10 Pcs                |
|                                        |                                       | Sub-packaging EAN barcode | 8015747027151         |

Part number

**CKA 03 VS**



## Catalogue drawings

### CKA VS - MKA V



### CKA VAS - MKA VA



### CKA VAS - MKA VA



### CKAX VGS - MKAX VG



Notes

Dimensions shown in mm are not binding and may be changed without notice.

---